

## **BARNIER<sup>®</sup> 1201**

Premium, Heavy Duty, All Purpose, Waterproof Cloth Tape

---

### **DESCRIPTION**

Scapa 1201 is a premium performance, waterproof cloth tape with a smooth finish, coated with a rubber based pressure sensitive adhesive. Scapa 1201 is available in white, black, blue, yellow, green, red and grey and is ideal for book binding, all purpose colour coding and applications requiring excellent water resistance.

### **APPLICATIONS**

- Reinforcement, registration, maintenance, binding, curling and decoration
- Overlay film for instructions, leaflets, etc.
- Suitable for general splicing applications with exception of siliconised substrates.
- Laminating film of label web for high speed die cutting.

### **PRODUCT BENEFITS**

- Excellent waterproof properties
- Very strong and robust
- Flexible and highly conformable
- Good abrasion resistance
- Excellent unwind properties
- Easy to tear by hand
- Can be written on
- Available in a full range of colours
- Good initial tack and ultimate adhesion
- Service Temperature: -15°C to +70°C

## TECHNICAL PROPERTIES

| Technical Property  | Nominal Value | Unit | Test Method |
|---------------------|---------------|------|-------------|
| Adhesion to Steel   | 3,7           | N/cm | AFERA 5001  |
| Total Thickness     | 0.28          | mm   | AFERA 5006  |
| Tensile Strength    | 100           | N/cm | AFERA 5004  |
| Elongation at Break | 10            | %    | AFERA 5004  |

Note:

\*\*\*This will be taken from the core product for the SAP Material Group\*\*\*

## STANDARD PRESENTATIONS

- Roll Length: 25 meters
- Roll Width: 19, 25 and 50 mm
- Core: 50 mm neutral cardboard core
- Width: Other widths available on demand

## RECOMMENDATIONS

The rolls should be stored flat on their cut edges in the original packaging. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes. Storage temperature between +10°C and +30°C. Under these conditions, the storage life of the tape in a temperate climate will be at least one year. Surfaces should be clean, dry and free of dust, grease, oil or other contaminants.