

BARNIER[®] 7019

BOPP Filament Reinforced Packaging Adhesive Tape

DESCRIPTION

Scapa 7019 is a 28 μ bi-axially oriented polypropylene film reinforced with monodirectional glass filaments coated with a rubber based adhesive system, with 130 μ total thickness. Recommended for general bundling, packaging and palletising applications.

APPLICATIONS

- Packing and closing cartons
- Pallet wrapping

PRODUCT BENEFITS

- High tack
- Very resistant
- Solvent free
- High tensile strength.
- Reduced stretching.
- Continuous temperature resistance: +50°C

TECHNICAL PROPERTIES

Technical Property	Nominal Value	Unit	Test Method
Adhesion to Steel	7	N/cm	AFERA 4001
Elongation at Break	10	%	AFERA 4005
Tensile Strength	250	N/cm	AFERA 4004
Total Thickness	0.130	mm	AFERA 4006

Note:

This will be taken from the core product for the SAP Material Group

STANDARD PRESENTATIONS

- Colours: Translucent
- Core: 76mm cardboard core
- Packaging: Concertina
- Roll Length: 50 metres
- Roll Width: 12, 15, 19, 25, 38 and 50mm

RECOMMENDATIONS

The rolls should be stored flat on their cut edges in the original packaging. The product must be protected from dust, heat, moisture, direct sunlight and solvent fumes. Storage temperature between +10°C and +30°C. Under these conditions, the storage life of the tape in a temperate climate will be at least one year.

Surfaces should be clean, dry and free of dust, grease, oil or other contaminants.